

DECLARATION OF CONFORMITY NO. 899

Manufacturer or its authorised representative	S.C. WETTERBEST S.A.
Product reference code	PROFIED METAL SHEET FOR WETTERBEST TYPE COVERINGS

In accordance with Regulation (EU) no. 305/2011 establishing harmonised conditions for the marketing of construction products, with Ordinance 20/2010 on establishing measures for the uniform application of European Union legislation and with Government Decision 688/2017 with subsequent amendments and completions on establishing the conditions for placing on the market of construction products, we declare under our own responsibility that the product of the type,

PROFIED METAL SHEET FOR WETTERBEST TYPE COVERINGS,

for the intended use, **in civil, industrial and agricultural constructions, new or under modernization, on the construction of roof coverings, in order to ensure tightness and protection against the action of climatic factors**, has characteristics in accordance with the set of performances below and that can be put into operation according to the instructions for use contained in the product documentation.

The conformity is demonstrated with reference to: **TECHNICAL AGREEMENT no. 001SB-03/899-2018.**

Product performance:

Characteristics	Test standard	Standard provisions	Declared values
Materials: steel brand		EN 10346	S250GD/ DX51D
Material thickness	-	EN 10143	0.25 ÷ 0.37 mm
Thickness tolerances	-	EN 10143	+/- 0.06 mm
Organic protection	-	EN-10169+A1	Face 1: SP 20 ÷ 50 µm Face 2: SP ≥ 5 µm
Inorganic protection		EN-10143	100 ÷ 275 g/m2

Type of the profiles and name of the products	PROFIED METAL SHEET FOR WETTERBEST TYPE COVERINGS (W- 23 Wetterbest®, W- 20 Plus®, W- 30 Gladiator®, W- 46 Colosseum® metallic roofing tile. W8, W10, W18, W35, W60 corrugated sheet)
Name and address of the laboratory that performed the tests	INCĐ URBAN – INCERC INCERC branch, Sos. Pantelimon 266, sector 2, Bucharest,

Manufacturer and manufacturer's address	S.C. WETTERBEST S.A., Str. Înfrăţirii nr. 142, 105200, Băicoi, Prahova County, Romania.
Name Position Date::	Ionuţ Ciulacu EHSQ Manager 02.10.2019
Signature	<i>[illegible signature]</i>